

1990

# The alternate use of abstraction and refinement in conceptual mechanical design

J Paz-Soldan  
*Carnegie Mellon University*

Carnegie Mellon University.Engineering Design Research Center.

Follow this and additional works at: <http://repository.cmu.edu/meche>

---

## Recommended Citation

.

This Technical Report is brought to you for free and open access by the Carnegie Institute of Technology at Research Showcase @ CMU. It has been accepted for inclusion in Department of Mechanical Engineering by an authorized administrator of Research Showcase @ CMU. For more information, please contact [research-showcase@andrew.cmu.edu](mailto:research-showcase@andrew.cmu.edu).

**NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS:**  
The copyright law of the United States (title 17, U.S. Code) governs the making of photocopies or other reproductions of copyrighted material. Any copying of this document without permission of its author may be prohibited by law.

**The Alternate Use of Abstraction and Refinement in  
Conceptual Mechanical Design**

by

**J.P. Paz-Soldan, J. R. Rinderle**

**EDRC 24-22-90 C.3**

# The Alternate Use of Abstraction and Refinement in Conceptual Mechanical Design

JUAN PEDRO PAZ-SOLDAN

Advanced Systems Group  
UNICAD Inc.  
Norfolk, VA 23510

JAMES R. RINDERLE

Mechanical Engineering Department  
Carnegie Mellon University  
Pittsburgh, PA 15213

## Abstract

In this paper we identify the characteristics of conceptual mechanical design problems which make them hard to solve and hard to study. We discuss the relationships between these problems and other cognitive tasks and explain why conceptual mechanical design problems are difficult to study and firmly using the Information Processing paradigm\* the theoretical framework for *Verbal Protocol Analysis* and *Expert Systems*.

The nature of conceptual design goals, constraints\* and constraint discovery increase the difficulty of conceptual design problem solving perse and analysis of problem solving methodologies. We postulate the use of alternate abstraction and refinement as a key to successful conceptual design problem solving and problem analysis and we identify three types of abstractions: *Functional Perspectives*, *Localization*, and *Worst Case Evaluation*. Protocol episodes demonstrate how alternate use of abstraction and refinement can help designers deal with circular constraints\* insufficiency of constraints; and bi-directional function to structure constraints.

## Introduction

The process of conceptual mechanical design is still poorly understood as a cognitive task. Prescriptive models of the design process do not correlate with observed behavior of subjects solving conceptual mechanical design problems. Expert System implementations of computational design models have only been successful in well defined problem domains and for problems where a predetermined hierarchical decomposition of the original design problem into relatively independent subproblems is possible and useful [Hoover 89]. Descriptive cognitive theories cannot yet explain problem solving behavior of general configuration design problems where three dimensional and causal physical reasoning occurs.

We seek a better understanding of the conceptual design process, particularly mechanical system design. We hope that this understanding will provide a theoretical framework for better conceptual mechanical design software and will help to identify those problem solving skills that should be emphasised to improve the effectiveness of engineering design education.

## Conceptual Mechanical Design as Problem Solving

Conceptual design of mechanical engineering systems is a special kind of problem with characteristics that set it apart from simpler problems used in cognitive psychology studies. This is not to say that conceptual mechanical design is a unique problem not comparable to any other type of problem, but only that it contains special features which increase the difficulty in applying any one set of conclusions obtained through simpler problems. Even when cognitive psychologists talk about "hard" problems, e.g. [Simon 85], they are talking about hard "toy" problems and easy "toy" problems.

Conceptual design problems have similarities with textbook physics problems, which have been studied by cognitive psychologists [Larkin 87, Larin 80] and modeled using Artificial Intelligence techniques [Novak 77]. Both conceptual design and physics problems deal with mathematical abstractions, causal physical constraints, and three dimensional constraints. However, textbook physics problems have a clear goal statement which can be used as a test of success. In contrast, design problems usually require the problem solver to define (or redefine) the goal.

Conceptual design problems are not well defined according to the notion of "well defined-ness" suggested by [McCarthy 80] and formalized by Newell and Simon [Newell 72]:

A problem proposed to an information processing system is well defined if a test exists, performable by the system, that will determine whether an object proposed as a solution is in fact a solution.

Newell and Simon implicitly rely on this definition of "well defined-ness" to cast problems into either the *Set* or the *Search Space* representations that form the basis of their work [Newell 72].

In conclusion, the conclusion of this article by Simon is that in unfamiliar problem situations, the capacity of subjects to prevent problem solving, thereby pointing to the need for taking into account the learning limitations of subjects when designing systems for successful problem solving. This is a conclusion applicable to all types of problem solving, but the concept of the Tower of Hanoi "racks" is not intended to apply to engineering problem solving which includes causal and physical "rules." These will vary from problem to problem and do not yet have a formal definition.

Although Newell and Simon consider "designing a machine" (p. 78) to be as example of a *wk* defined problem, they have ~~been~~ careful to deal only with *parameterized* design tasks, where all of the possible design solutions can be generated by varying the parameter values and an explicit cost minimization function is used as a test criterion. During the initial conceptual design stage of realistic machine design, there are no parametric relations nor, in fact, parameters to speak of. The minimization of a cost function is therefore not a usable test of success, since no such function is available.

Conceptual **mechanical** design problems are in some ways comparable to creative writing tasks<sup>2</sup> in the sense that neither are well defined problems. Many of the techniques we have observed in conceptual design seem also to be employed by writers. In fact, the advantages, limitations, and current development efforts in software aids for design and writing tasks have striking similarities: In both, software can facilitate the editing and storage at the detailed rework stage but do not yet provide time savings sufficient to justify their use during the conceptual stages.

Although there are similarities, in most cases, conceptual design differs from writing in a (cognitively) important respect\* Conceptual mechanical design involves three dimensional geometric reasoning and causal physical reasoning. Geometric reasoning is a poorly understood human ability [Kosslyn 80] and causal physical reasoning has only recently been modeled to any extent [Bobrow 84, Hoover 89, Kuipers 84]. Only when we start to understand how humans are able to reason in these two domains will the differences become irrelevant for our purpose of understanding conceptual design as a cognitive task.

### Characteristics of Conceptual Design Problems and Protocol Analysis

The nature of conceptual design problems makes them hard to solve and hard to study with the cognitive science technique of *Protocol Analysis*<sup>3</sup> [Ericsson 84]. In this section we discuss the characteristics of conceptual design problems and relate them to problem difficulty and problem analysis difficulty.

To illustrate the type of problem we have in mind when we talk about conceptual mechanical design, consider the following:<sup>4</sup>

Develop two rough configurations of a printer head drive mechanism. You should specify as many standard components as you can, for example, a motor, pulleys, cables, belts, gears, shafts, etc.. Avoid the use of exotic or imaginary components. Ignore manufacturing and materials specification for now.

\*We are not aware of the use of a writing tasks as a sample problem of a Cognitive Psychology study, presumably because the characteristics they share with conceptual design tasks are those that inato bedi types of tasks difficult to analyze.

<sup>3</sup> A *Protocol Analysis* is a technique used to study problem solving behavior through the analysis of statements made by the subject during problem solving. Briefly, the basic assumptions of *Protocol Analysis* are "the subjects behavior can be viewed as a search through a problem space, accumulating knowledge... as he goes", and that "each step in the search involves the application of an operator moving the subject to a new point in the problem space" (p^63) (Ericsson 84). The final objective of a protocol analysis is to generate a *Problem Space* and a set of *Operators*,

The *problem space* is simply an approximation to the subject's internal representation of the problem, which can be represented by a graph (Newell 72). An *operator* is an action which "produces new states of knowledge from existing states of knowledge" [Newell 72]. These two concepts are the theoretical equivalent of the Expert Systems\* terms *working memory* and *production*, respectively.

+this task was given to three subjects (S1, S2, and S3) in an unpublished *Protocol Analysis* study by Piz-SoWan (Paz-Soldan 871) which will be discussed in the next section.

Appended Is a rough sketch of the printer case into which your design has to be fitted.

The *print head drive* design task typifies the difficulties present in most conceptual design problems that as a whole, differentiate these problems from "toy" problems used in cognitive psychology studies. The conceptual design problem can be characterized as follows:

1. Nature of goal
  - Problem has many "good" solutions
  - Solution domain is not explicit
  - Goal statement does not directly contain goal test
2. Nature of constraints
  - Problem constraints form webs (dense interdependencies)
  - Bi-directional Function to Structure constraints exist
  - Problem is under-constrained
  - Circular constraints exist
  - 3D geometric constraints exist
3. Nature of constraint discovery during problem solving
  - There is insufficient information
  - Problem has potential branching into difficult subproblems

These characteristics are discussed in the following sections.

#### Nature of goal

The absence of an explicit goal test, the multiplicity of solutions and the impracticality of finding solutions by elimination arise from the typical vagueness of conceptual design problem statements. Various psychological studies have dealt with these characteristics individually, but it is the collective existence of all of these characteristics that needs to be considered before we can confidently apply the *Information Processing* paradigm [Newell 72] and its data collection technique, *Protocol Analysis* to conceptual mechanical design problems.

In practice, the redefinition of the goal condition (by the problem solver) during a verbal protocol may either force the intervention of the experimenter to clarify the intended goal or require the use of multiple Problem Spaces and Operator sets to explain the subject's behavior. Either of these weaken the underlying objective of the protocol analysis approach, which is to postulate a common Problem Space and set of Operators for the class of tasks being studied. The repeated reexamination of the goal statement was observed in the three protocols for the printer design task. The existence of many "good" solutions in such domains is a consequence of having a vague goal statement that needs to be redefined by the problem solver.

In many cases problems are posed in such a way that the problem itself clearly identifies the range of acceptable solutions. The solver may continuously refine the range by testing various subranges and ultimately puts forth a solution using the constructs of the original problem statement. In conceptual design the problem statement does not usually clearly delineate the range of acceptable solutions nor is it posed in the language which must ultimately be used to specify a solution.

With the possible exception of this last characteristic, the difficulties stemming from the vagueness of the problem statements in conceptual design translate more into difficulties in the analysis of problem solving approaches than in the problem solving itself due to the ability of humans to deal with abstract problems.

### Nature of constraints

In addition to the difficulties arising from the vagueness of the problem statement, conceptual design problem solving requires the knowledge and ability to reason about causal physical relationships, a task which has interested philosophers and scientists for many centuries. The complex nature of physical relationships cannot be ignored in trying to understand conceptual design problem solving because their understanding and proper use are integral components of successful solution methods.

Mechanical design tasks usually require the use of several theoretical frameworks for their solution. The printer task may require the knowledge and correct application of kinematics, dynamics, statics, and control theory for a complete solution\*. The potentially dense interdependencies of constraints arising from the use of these theories can give rise to what we are calling constraint "webs." The existence of these constraint interdependencies in conceptual design problems greatly increases their relative difficulty.

Constraint webs have a direct relation to the second characteristic: Bi-directional function to structure constraints.<sup>5</sup> These constraints arise as a result of particular embodiments of physical laws for classes of components. Every class of engineering component has a set of restatements of those same general physics laws but with special parameters and constants, that in most cases include geometric parameters which are only applicable to that class of component. For example, electric motor specification usually involves choosing a motor type and frame size that can produce the required torque. A typical "motor equation," relating for example torque to temperature, motor impedance, friction, and speed, is an expedient embodiment of physical laws which includes many effects, however the relation is bi-directional in the sense that a required function may drive a component selection, but the geometric and behavioral component class constraints limit possible functionality. There are a limited number of these types of relationships among design variables that the designer can deal with effectively.

The amount of detail in these component relations often works against the designer during the conceptual stage. How can we determine the values needed to compute the required torque of the motor if we only have a vague idea of the print head drive configuration? Conceptual design problems are usually *under-constrained*, meaning that the designer may have to estimate certain values before he can use the component equations that provide behavioral or geometric parameter values.

As the configuration becomes more completely specified, a quite different situation often arises, that of circular dependencies among constraints. If, for example, we specify that the motor will be mounted on the platform it drives (as is the case in at least one commercially available printer we have used), then the required motor torque depends on load which depends on motor mass which depends on motor torque. It is easy to see in a verbal protocol when

\*! agreement with Kuipers (Kuipers 84), we use *function* to refer to a description of a device that reveals its purpose, and use *behavior* to refer to its operating characteristics. He offers the following clarifying example: "The function of a steam-release valve is a boiler is 10 prevent *m* explosion; the behavior of the system is simply that the pressure remains below a certain limit. The existing literature frequently obscures this distinction by using the term *function*\* to refer to behavior/

In addition, we are assigning a very specific meaning to *structure* which differs from its use in other related works (eg. see (Ulrica 87)). *Struxre*, the etymological latin root of "structure", means to heap together, to arrange. Listed definitions of common usage for "structure" include: "The interrelation of all the parts of the whole" and "Some interrelation imposed on parts." Our definition is closer in intent to the etymological origin than to common engineering usage e.g., "Aspects of materials and dimensional geometry" (Ulrica 87). The possibility of confusion introduced by adopting the etymological over the thinning of mechanical devices as a collection of parts with numerous bi-directional function to structure dependencies.

asubjectisdealliigwithacmnilsrsetofcnstrs^ such as these but hU not easy to resolve them.

The final characteristic that make conceptual design problems both hard to solve and hard to study from a cognitive perspective is the unavoidable incursion into three dimensional spatial reasoning. It is not possible to extrapolate from findings based on two dimensional sample problems and there is not yet a consensus among psychologists about spatial reasoning or image representation. This makes the job of analyzing conceptual design problem solving approaches all the more difficult. Our most verbally coherent subject (S2) commented after the experiment about his difficulty with three dimensional mental transformations. Sketches mediate against this cognitive limitation, although it could be argued that geometric reasoning is needed to make the sketches in the first place.

### Nature of constraint discovery during problem solving

The characteristics of constraint discovery are similar to those discussed previously, however, we revisit some of these characteristics to emphasize issues of information usage during problem solving in contrast to goal or constraint issues.

The insufficiency of information is related to the under-constrained nature of the problem and the bi-directional function to structure constraints. The lack of information is important as a factor in problem solving because under normal conditions the recourse to external sources of information will be an important activity during conceptual design\*. The interaction with peers and superiors is an important element in real world design that is hard to study due to the time and amount of experimental data involved (Wallace 87).

The sub-problem branching characteristic is the ever present risk during conceptual design of expending effort in solving a subproblem harder than the original design task that may ultimately prove to have no relevance to the final design configuration. For example, one of our subjects (S1) spent a considerable portion of the 45 minute time allotment specifying the tolerances between the print head and die printer roller, which (at the conceptual stage) does not have much relevance to the task of specifying the drive mechanism configuration. The branching makes it harder to study conceptual design because it extends the time and increases the amount of data needed to study a realistically sized task.

### Observations of Conceptual Problem Solving

In this section, we review the results of two verbal/sketch protocol analyses of conceptual mechanical design tasks, the first by Ullman et al (Ullman 87) and the second an unpublished study by Paz-Soldan (Paz-Soldan 87). Our intent in introducing these studies is to illustrate the nature of conceptual design and to give examples of the specific characteristics discussed in this paper. These two studies are preliminary in nature and do not yet provide conclusive evidence for a theory of conceptual design problem solving.

Ullman et al provided "incomplete, high level specifications" of design problems to three mechanical engineering graduate students and three professional engineers with industrial experience. The problems were designed to take 10 hours and the protocol data collection included notes, sketches, drawings and video recordings. Their findings can be summarized as follows:

1. Designers pursue a single design concept and patch it up rather than discard it;
2. Notes and sketches play a critical role in conceptual design;
3. Designers progress from systematic to opportunistic behavior;
4. Designers focus on small parts of the design problem rather than attempt a balanced development; and
5. Designers forget earlier decisions.

These findings can be related to the conceptual mechanical design problem characteristics discussed, and in particular, those dealing with the nature of constraint

1. Since most mechanical components introduce bi-directional function/behavior constraints, a preliminary solution has to be "patched up" as new components are introduced.
2. The use of notes and drawings is necessary to free up attention to concentrate on constraint web disentanglement, circular constraints\* and three dimensional geometric constraints\*
3. An opportunistic approach is necessary for the same reason that the "patching up" strategy is needed: Many of the bi-directional function to structure constraints only become apparent when the design resolution is increased.
4. Focusing attention on small aspects of the design is necessary to deal with these same characteristics of conceptual design problems, and also with those we have classified as pertaining to the nature of constraint discovery: The lack of information and subproblems of potential greater complexity than the original task.
5. The density of constraint interaction and the difficulty of reasoning about bi-directional function to structure constraints impose heavy demands on the memory of designers, causing them to forget previously identified constraints.

The results of Ullman et al's study motivated one of us to use the print head drive problem in a verbal protocol study [Paz-Soldan 87]. The task was in many ways similar to Ullman's, being an incomplete, vague specification, however, the instructions asked explicitly for several alternative solutions. Approximately 45 minutes were allocated for the design task. The three subjects\* were Mechanical Engineering graduate students at Carnegie Mellon University, and all were working on projects which required considerable conceptual mechanical design.

After 45 minutes, each of the three subjects had a rough sketch of a configuration but two of the three subjects had difficulty outlining more than one conceptual design. The number of solutions varied significantly among the three subjects; from no alternative design solutions, to some brief consideration of an alternative solution, to multiple alternative solution consideration. The most thorough subject (S2) went through four iterations of the design layout during which he considered multiple approaches for the platform guide (a surface, two bars); the drive arrangement (toothed belt, cables, direct drive, ball screw, worm gear), motor type (servo, stepper), and system control (open loop, closed loop).

The results from this protocol study support all but the first of Ullman's findings. The subjects used notes and sketches, progressed from systematic to opportunistic behavior, at times focused on small parts of the design problem, and forgot earlier decisions. One subject was able to pursue several design concepts rather than simply patch up the first thing that came to his mind. This may be related to Ullman's definition of "the original idea"\* or it might be attributable to a greater degree of personal "ownership" due to the more innovative nature of Ullman's task.

In Paz-Soldan's study, the protocols were (informally) analyzed to

\*Doing this study provided the insights on the limitation of Protocol Analysis techniques to mechanical design tasks we discussed. In spite of the limitations of the analysis aspect, Protocol Analysis still provides a useful experimental methodology for data gathering on design tasks in long as the limitation\* of the theoretical framework are kept in mind.

find patterns in the use of structural and functional *^ramndam* during conceptual design. The analysis not only confirmed Ullman et al's observation on the use of an opportunistic problem solving strategy, but provided some basis for postulating a refinement on this observation: All subjects were observed to simplify and refine their design in alternation. We call this the strategy of *alternate abstraction and refinement*. This approach was not simply a "redesign" loop in which the problem is started anew, but was in fact an evolution of the design concept through alternate elimination and addition of detail within the loop. The approach differed greatly from prescriptive strategies for design and automated design systems which are based on a preliminary hierarchical decomposition of the design problem.

### The Alternate Use of Abstraction and Refinement

To avoid confusion, we provide some working definitions of what we mean by abstraction and refinement. *Abstraction* in this context\* is the cognitive process of considering only a simplified or limited set of attributes of an object. *Refinement* is the opposite of abstraction; the addition of detail or complexity to the object representation. The representation can be mental or external (e.g. a sketch) or a combination of both.

Both abstraction and refinement have been observed during conceptual design tasks\* but we suggest that their *alternate* use is an important aspect of their use by designers, this is an extension of Ullman et al's observation of opportunistic problem solving during conceptual design tasks. It is also a refutation of many *design loop diagrams* of the design process which presume a progression of refinement until a design impasse is reached and the process is restarted. The problem solving approach observed during the protocols involved alternating increase and decrease of design detail.

Thus abstraction is not only used to "identify the existing problems" [Pahl 84], or to "hypothesize a... key idea or solution plan" [Kant 84]. It is also used to deal with dense constraint webs, circular constraints and unknown (and hard to determine) constraints by making simplifying or worst-case assumptions. This is in fact, the central idea underlying all successful engineering problem solving.

Similarly, refinement is not only used to "break down overall function into subfunctions" [Pahl 84], or to "decompose a problem into subproblems"\* [Kant 84]. It is also used to deal with the three dimensionality of mechanical systems and the varying amount of detail available about selected components. It is also used to generate new constraints from existing constraints.

To illustrate the use of alternate abstraction and refinement, we use an excerpt from S2's protocol. Previous to this excerpt S2 generated some alternatives for the overall configuration. In this excerpt he starts to specify the motor capacity from geometric constraints:

- 137: you'd like to know about how big that motor is going to be,
- 138: and that.. you can kinda get an idea how much torque the motor can put out
- 139: by how much space you allocate for it
- 140: Best thing of all would be to have that *motor* directly coupled
- 141: to whatever is driving the platform.
- 142: But!, knowing that the platform goes...
- 143: probably all the way to the edge of the box you can't do it!
- 144: So you have to go to some kind of gearing right\*«
- 145: or some kind of cable, or whatever... timing belt

Several things are noteworthy in this excerpt. Noce first, the problem of motor behavioral sizing (torque) is simplified to be one of geometrical sizing. Then a new refinement on the configuration is proposed: Attaching the motor directly to the platform. This proposal is immediately followed by discovering a geometric constraint on the specified printer casing and roller arrangement. Finally, this is translated into a refinement of the overall configuration so as to require the use of alternatives to direct motor coupling.

It is obvious that the classification of individual thoughts as being either abstractions or refinements is not straightforward, however, it is clear that the designers' reasoning is not a simple progression of refinements by the methodical addition of detail. Conceptual design involves quickly alternating steps of reasoning in which detail is removed to focus on a single aspect of behavior or geometry, followed by the addition of a new detail of behavior or geometry which had not been mentioned previously in the protocol.

The following is a second example from a later stage in S2's protocol:

- 215: we'll .. put a .. timing belt.  
 216: And now we think why this is a bad idea.  
 217: One reason it is a bad idea is the timing belt is elastic by nature,  
 218: and it probably has some dynamics because it's so elastic.  
 219: You need quick starting and stopping.  
 220: and I probably can ignore those dynamics.

S2 is first considering a broad range of behavioral characteristics of the timing belt including the elastic properties but then adopts an abstraction (neglecting elastic behavior) which allows him to reason about the importance of dynamic effects.

### Preliminary Classification of Abstractions

In this section we attempt a preliminary classification of abstraction mechanisms based on examination of the protocols and introspection of our own reasoning during creative design tasks. The classification is based on the nature of constraints which are neglected or emphasized. We identify three major types of abstraction:

1. Functional Perspective
2. Localization
3. Worst Case

*Functional Perspectives* are used to ignore aspects of geometry or behavior to address a specific functional constraint. Given a known component such as a motor, Functional Perspectives involve the removal of detail in order to focus attention on a characteristic that permits checking that a particular constraint is satisfied. For example, consider the following excerpts from S2's protocol:

- 34: how do we get the printer head to move translational.  
 60: We need a reversible motor  
 137: you'd like to know about how big that motor is going to be  
 178: a motor that has a very low starting torque

The motor is seen first as a *source of power* and none of its geometric characteristics are considered. Within this initial *functional perspective*, S2 considers only general behavioral aspects of the motor. Later, the geometric value *motor height* is the only aspect of the motor's structure that S2 uses to decide where to place it. Finally, the starting torque behavioral aspect of the motor is considered during the specification of the connection to the platform.

*Localization* is used to neglect the system wide effects of behavioral or geometric constraints to resolve circular constraints within a subsystem or across subsystems. Localization facilitates decision making on a limited scale by eliminating system wide considerations.

The following excerpt illustrates the use of localization:

- 309: Put a drive gear ... Where can we put a drive gear?  
 310: How can we attach..? well all we want to do is drive one end,  
 311: the other end is free,  
 312: if it goes right over a pulley,  
 313: we put the timing belt on,  
 314: attach the timing belt to the platform.

- 315: and zoom that sucker back and forth with the geared up motor.  
 316: ...  
 317: Looks like .. mmm .. just looking at the picture,  
 318: there's not much room between the print head and the side of the box.  
 319: So you're gonna have to have a really small gear there.  
 320: We put a little small ... small gear here.

Notice in this excerpt how the overall system is considered, and then attention is focused on the localized geometric interference constraint discovered in statement 317.

Lastly, *Best/Worst Case* abstractions are used to establish boundaries for behavioral or geometric values in under constrained problems. These abstractions can be optimistic (best case) or pessimistic (worst case). They are used to establish bounds on values when there is not enough information to determine them more precisely.

Worst case abstraction for a geometric value is illustrated by the following:

- 292: We now are going to make our motor that ... probably about an inch,  
 293: not more than an inch an a half in diameter.

In the following excerpt S2 deals quickly with a missing geometric dependency by assuming a "best case" scenario:

- 197: In one scheme now, we'll replace one of those poles by a ball screw.  
 198: We know the platform is...  
 199: We don't have any dimensions for the platform!  
 200: We can make it anything we want.  
 201: We'll make the platform big enough so we can pass the ball screw through it.

These three types of abstractions, Functional Perspectives, Localization, and Best/Worst Case, have been observed in the protocols and have been identified in our own design reasoning. Each of these abstractions are used during conceptual design to deal with the difficulties arising from the nature of the goal, constraints, and constraint discovery.

### Hierarchical Problem Solving and Conceptual Design

The process of problem *decomposition* into subproblems is a central aspect of prescriptive, cognitive, and computational models of the design task. Each model also incorporates an iterative approach to design and implicitly incorporates abstraction and refinement. These models also assume a *hierarchical* decomposition of the problem into subproblems. Antecedent subproblems completely include posterior subproblems and there is limited or no interaction among subproblems. For example, Meunier and Dixon's model of mechanical design [Meunier 88] explicitly assumes that "the design problem has been decomposed into systems and subsystems a priori." They observe that "usually, there is some natural decomposition based on function or the physical characteristics of the system." Other Systems for engineering design, such as PRIDE [Mittal 86], MICON [Balram 86], and HI-RISE [Maher 85] share these properties, i.e. an underlying assumption of problem decomposability into independent subproblems and the existence of a parametric model.<sup>7</sup> Expert Systems cannot be easily developed for *configuration* design problems in which there is considerable interaction among subproblems.

Although initially we can decompose a conceptual design problem into a hierarchy of subsystems and corresponding subproblems, the *problem solving* itself cannot be considered hierarchical. Although

<sup>7</sup>The similarity among problem scope in these engineering design Expert systems and Newell and Simon's carefully worded example is no coincidence: The *Information Processing* paradigm [Newell 72] is the theoretical basis for all Expert Systems.



our subjects decomposed the primer system into three subsystems, their *problem solving strategy* was far from hierarchical! The three subjects jumped back and forth between various subsystems in order to resolve dense constraint coupling among them. Dense constraint coupling is inherent in mechanical systems because designers seek to reduce weight and volume of collections of connected components [Sussman and Rinderle 86] and because stringent connectivity limitations reduce positioning alternatives [Hoover 89]. Uman et al's observation [Uman 87] that designers employ *opportunistic refinement* is an experimental confirmation of the limitation of hierarchical *problem solving* approaches in conceptual design.

Recent papers by Ulrich and Seeing [Ulrich 88], and Hoover and Rinderle [Hoover 89] on computational models of the design process start to address the problems presented by the non-hierarchical nature of mechanical configuration design problems. These papers highlight the need for function sharing in good mechanical designs as a result of the unintended structure (behavior and/or geometry) contributed by all real mechanical components. However, the difficulties associated with geometric reasoning are altogether ignored in [Ulrich 88], and only partially dealt with in [Hoover 89]. As pointed out in [Dixon 87] and [Libardi 88], supporting abstract geometric specification is an area in need of new research initiatives.

## Conclusion

Conceptual mechanical design has characteristics which differentiate it from simpler problems used in cognitive psychology studies. These characteristics relate to the nature of the goal, to the nature of problem constraints, and to the discovery of constraints during problem solving. Certain problems studied by cognitive psychologists share some of these characteristics, but the presence of all these characteristics sets apart conceptual mechanical design problems from those used in most cognitive psychology studies.

Conceptual design problems are "ill defined" problems, and as such, are not easily cast into the Information Processing Paradigm, which provides the theoretical foundation for Verbal Protocol Analysis and Expert Systems work. These problems involve geometric and causal physical reasoning, two poorly understood cognitive activities. Due to these characteristics, conceptual design problems are both hard to solve and hard to study using current cognitive psychology methodology.

In spite of that, verbal protocols provide a useful experimental methodology for data collection on conceptual design problem solving. Using this technique, Uman et al have observed the use of *opportunistic refinement* during conceptual mechanical design tasks. Using a similar study by Paz-Soldan, we have identified the use of *alternate abstraction* and refinement as a strategy used for successful conceptual design problem solving.

Abstractions used during conceptual design can be classified by constraint type. We have identified three types: *Functional Perspectives*, *Localization*, and *Best/Worst Case* abstractions. Each of these has been illustrated with excerpts from the protocols. The use of patterns in applying these types of abstraction and their associated refinement process is an area for further investigation.

In closing, we distinguish between hierarchical *representations* and hierarchical *problem solving* and we discuss the effects of functional integration and incidental behaviors, two characteristics of mechanical components which prevent a hierarchical problem solving strategy in conceptual design. The alternate use of abstraction and refinement facilitates successful conceptual design problem solving because it allows the problem solver to deal with dense constraint dependencies and bi-directional function to structure constraints. We believe the ability to use abstraction and refinement alternately during design will prove to be an important aspect of systems which can support or automate conceptual design tasks. A representation for conceptual designs that allows the alternate removal and addition of detail is discussed in [Rinderle 90].

## Acknowledgments

The authors are pleased to acknowledge the support of the Design Theory and Methodology Program of the National Science Foundation (NSF Grants DMC-84-51619 and DMC-88-14760) and the Engineering Design Research Center at Carnegie Mellon University (NSF Grant CDR-85-22616).

## References

- [Balm 86]  
Balm, N. et al. "The MKXmyaem for Single Board Computer Design," in *Proceedings of the 1st International Conference on AI Applications in Engineering Problems*, Sciam, D. and Adey, R., ed. Computational Mechanics, UJL, 1986, pp. 899-9101
- [Bobrow 84]  
Bobrow, D.G. (ed), "Special Volume on Qualitative Reasoning about Physical Systems," *Artificial Intelligence*, Vol. 24, No. 1-3, 1984.
- [Dixon 87]  
Dixon, J.R., "Artificial Intelligence and Design: A Mechanical Engineering View," *Proceedings of the 7th National Conference on Artificial Intelligence AAAI*, 1987, pp. 872-877.
- [Ericsson 84]  
Ericsson, K.A. and Simon, H.A., *Protocol Analysis of Problem Solving*. Mass\*, 1984.
- [Hoover 89]  
Hoover, S. P., "A Synthesis Strategy for Mechanical Devices," *Research in Engineering* 4\*\*, Vol. 1, No. 2, 1989.
- [Kant 84]  
Kant, E. and Newell, A., "Problem Solving Techniques for the Design of Algorithms," *Information Processing & Management*, Vol. 20, No. 12, 1984, pp. 97-118.
- [Kosslyn 80]  
Kosslyn, S.K.L., *Image and Mind*. Harvard University Press, Cambridge, Mass., 1980.
- [Kuipers 84]  
Kuipers, B., "Commonsense Reasoning about Causality: Deriving Behavior from Structure," *Artificial Intelligence*, Vol. 24, 1984, pp. 169-203.
- [Larkin 80]  
Larkin, J.H., McDermott, J. and Simon, D.P., "Expert and Novice Performance in Solving Physics Problems," *Science*, Vol. 208, 1980, pp. 1335-2.
- [Larkin 87]  
Larkin, J.H. and Simon, H.A., "Why Do We Sometimes Forget? Thousand Words," *Cognitive Science*, Vol. 11, 1987, pp. 65-99.
- [Libardi 88]  
Libardi, B. C. Dixon, J. R., and Simmons, M. IC, "Comparative Evaluation of the Design of Mechanical Assemblies: A Research Review," *Computers*, 1988, pp. 121-136.
- [Maher 85]  
Maher, M. L. and Fenves, S., "HIRISE: An Expert System for the Primary Structural Design of High Rise Buildings," in *Knowledge Engineering in Computer-Aided Design*. Gero, J., ed., North Holland, Amsterdam, 1985.
- [McCarthy 80]  
McCarthy, K. "The Inversion of Functions Defined by Turing Machines," *Automata Studies*. Shannon, C.E. and McCarthy, J., eds., Princeton University, Annals of Mathematics Studies, Vol. 34, 1980, pp. 177-187.
- [Meunier 88]  
Meunier, K. and Dixon, J. R., "Iterative Refinement: A Computational Model for Hierarchical Mechanical System Design," *Proceedings of the SME Computers in Engineering Conference*. American Society of Mechanical Engineers, San Francisco, CA, July 31-August 3, 1988.
- [Mittal 86]  
Mittal, S., Araya, A. and Morjaria, M., "Knowledge-Based Design and Problem Solving in the PRIDE Expert System: An Overview," in *Proceedings of the 1st*

*International Conference on AI Applications in Engineering Problems, Scrimm, D. and Adey, It, oil, CiMmmkiidMmhwii 7 u x. 1966. pp..*

[Newell 72]

Newell, A. s. jr. f. S. n. w. I. A. i. t. a. i. w. ^ *Problem Solving. Prentice Hall, Englewood Clif &, NJ. 1972.*

[Novak 77]

Novak, O. S., Jr., "Representations of Knowledge in a Program for Solving Physics Problems." *Proceedings of the Fifth International Conference on Artificial Intelligence. 1977. pp. 286-91.*

(PahJ84)

PiM, G. and Beitz, W., *Engineering Design. The Design Council, Springer-Verlag, London, 1984.*

[Pi2-Soldan87]

Paz-Soldan, J. P., "The Use of Functional and Geometrical Dependencies in Conceptual Design: A Verbal Protocol Study". Unpublished final project report for Cognitive Processes and Human Problem Solving, Carnegie Mellon University, Fall 1987. Professors H. A. Simon and K. Van Lehn

[Rinderle 86]

Rinderle, J. R., "Implications of Function-Form-Fabrication relations on Design Decomposition Strategies," *Computers in Engineering. 1986. Gupta, G., ed., American Society of Mechanical Engineers, New York. 1986. pp. 193-198.*

[Rinderle 90]

Rinderle, J. R. and Paz-Soldan, J. P., " " *In Preparation. 1990.*

[Simon 85]

Simon, H.A., Kotovsky, K., and Hayes, J.R., "Why are Some Problems Hard? Evidence from Tower of Hanoi." *Cognitive Psychology. Vol. 17. 1985, pp. 248-294.*

[Sussman80]

Sussman, G. J. and Sleele Jr., G. L., "CONSTRAINTS - A Language for Expressing Almost-Hierarchical Descriptions." *Artificial Intelligence. Vol. 14. 1980. pp. 1-39.*

[Ullman 87]

Ullman, D. G., Stauffer, L.A. and Dieterich, T. G., "Preliminary Results of an Experimental Study of the Mechanical Process," *Proceedings from the NSF Workshop on the Design Process. Waldron, M. B., ed. Ohio State University, Oakland, CA. February 8-10 1987. pp. 157-200.*

[Ulrich 87]

Ulrich, K. T. and Seering, W. P., "Conceptual Design: Synthesis of Systems Components," *Intelligent and Integrated Manufacturing Analysis and Synthesis. Liu, C. R., Requicha, A. and Chandrasekar, S., ed., American Society of Mechanical Engineers, New York. 1987. pp. 57-66.*

[Ulrich 88)

Ulrich, K. T. and Seering, W. P., "Function Sharing in Mechanical Design." , 1988, To be presented at the Conference of the American Association for Artificial Intelligence

[Wallace 87)

Wallace, K.M. and Kales, C., "Detailed Analysis of an Engineering Design Project," *Proceedings of the 1987 International Conference on Engineering Design, American Society of Mechanical Engineers, 1987.*