

6-2010

Approaching Optimality For Solving SDD Linear Systems

Ioannis Koutis
Carnegie Mellon University

Gary Miller
Carnegie Mellon University

Richard Peng
Carnegie Mellon University

Follow this and additional works at: <http://repository.cmu.edu/compsci>

This Conference Proceeding is brought to you for free and open access by the School of Computer Science at Research Showcase @ CMU. It has been accepted for inclusion in Computer Science Department by an authorized administrator of Research Showcase @ CMU. For more information, please contact research-showcase@andrew.cmu.edu.

Approaching Optimality For Solving SDD Linear Systems

Ioannis Koutis
Carnegie Mellon University
Email: ioannis.koutis@cs.cmu.edu

Gary L. Miller
Carnegie Mellon University
Email: glmiller@cs.cmu.edu

Richard Peng
Carnegie Mellon University
Email: yangp@cs.cmu.edu

Abstract—We present an algorithm that on input of an n -vertex m -edge weighted graph G and a value k , produces an *incremental sparsifier* \hat{G} with $n-1+m/k$ edges, such that the condition number of G with \hat{G} is bounded above by $\tilde{O}(k \log^2 n)$, with probability $1-p$. The algorithm runs in time

$$\tilde{O}((m \log n + n \log^2 n) \log(1/p)).$$

As a result, we obtain an algorithm that on input of an $n \times n$ symmetric diagonally dominant matrix A with m non-zero entries and a vector b , computes a vector x satisfying $\|x - A^+b\|_A < \epsilon \|A^+b\|_A$, in expected time

$$\tilde{O}(m \log^2 n \log(1/\epsilon)).$$

The solver is based on repeated applications of the incremental sparsifier that produces a chain of graphs which is then used as input to a recursive preconditioned Chebyshev iteration.

Keywords—algorithms; spectral graph theory; linear systems; combinatorial preconditioning

I. INTRODUCTION

Fast algorithms for solving linear systems and the related problem of finding a few fundamental eigenvectors is possibly one of the most important problems in algorithm design. It has motivated work on fast matrix multiplication methods, graph separators, and more recently graph sparsifiers. For most applications the matrix is sparse, and thus one would like algorithms whose run time is efficient in terms of the number of non-zero entries of the matrix. Little is known about how to efficiently solve general sparse systems, $Ax = b$. But substantial progress has been made in the case of symmetric and diagonally dominant (SDD) systems, where $A_{ii} \geq \sum_{j \neq i} |A_{ij}|$. In a seminal work, Spielman and Teng showed that SDD systems can be solved in nearly-linear time [1], [2], [3].

Recent research, largely motivated by the Spielman and Teng solver (ST-solver), demonstrates the power of SDD solvers as an algorithmic primitive. The ST-solver is the key subroutine of the fastest known algorithms for a multitude of problems that include: (i) Computing the first non-trivial (Fiedler) eigenvector of the graph, or more generally the first few eigenvectors, with well known applications to the

This work was partially supported by the National Science Foundation under grant number CCF-0635257. I.K. was partially supported by Microsoft Research through the Center for Computational Thinking at CMU. R.P. was partially supported by Natural Sciences and Engineering Research Council of Canada (NSERC) under grant number M-377343-2009.

sparsest-cut problem [4], [5], [6]; (ii) Generating spectral sparsifiers that also act as cut-preserving sparsifiers [7]; (iii) Solving linear systems derived from elliptic finite elements discretizations of a significant class of partial differential equations [8]. (iv) Generalized lossy flow problems [9]; (v) Generating random spanning trees [10]; and (vi) Several optimization problems in computer vision [11], [12] and graphics [13], [14]; A more thorough discussion of applications of the solver can be found in [15], [16].

The ST-solver is an *iterative* algorithm that produces a sequence of approximate solutions converging to the actual solution of the input system $Ax = b$. The performance of iterative methods is commonly measured in terms of the time required to reduce an appropriately defined approximation error by a constant factor. Even including recent improvements on some of its components, the time complexity of the ST-solver is at least $O(m \log^{15} n)$. The large exponent in the logarithm is indicative of the fact that the algorithm is quite complicated and lacks practicality. The design of a faster and simpler solver is a challenging open question.

In this paper we present a conceptually simple and possibly practical iterative solver that runs in time $\tilde{O}(m \log^2 n)$ ¹. Its main ingredient is a new *incremental* graph sparsification algorithm, which is of independent interest. The paper is organized as follows. In Section II we review basic notions and we introduce notation. In Section III we discuss the development of SDD solvers, the algorithmic questions it motivates, and the progress on them, with an emphasis on the graph sparsification problem. In Section IV we present a high level description of our approach and discuss implications of our solver for the graph sparsification problem. The incremental sparsifier is presented and analyzed in Sections V and VI. In Section VII we explain how it can be used to construct the solver.

II. PRELIMINARIES

In this Section we briefly recall background facts about Laplacians of weighted graphs. For more details, we refer the reader to [17] and [18]. Throughout the paper, we discuss connected graphs with positive edge weights. We use n and m to denote $|V|$ and $|E|$.

¹We use the $\tilde{O}()$ notation to hide a factor of at most $(\log \log n)^4$

A symmetric matrix A is positive semi-definite if for any vector x , $x^T A x \geq 0$. For such semi-definite matrices A , we can also define the A -norm of a vector x by

$$\|x\|_A^2 = x^T A x.$$

Fix an arbitrary numbering of the vertices and edges of a graph G . Let $w_{i,j}$ denote the weight of the edge (i, j) . The Laplacian L_G of G is the matrix defined by: (i) $L_G(i, j) = -w_{i,j}$, (ii) $L_G(i, i) = \sum_{i \neq j} w_{i,j}$. For any vector x , one can check that

$$x^T L_G x = \sum_{u,v \in E} (x_u - x_v)^2 w_{uv}.$$

It follows that L_G is positive semi-definite and L_G -norm is a valid norm.

We also define a partial order \preceq on symmetric semi-definite matrices, where $A \preceq B$ if $B - A$ is positive semi-definite. This definition is equivalent to $x^T A x \leq x^T B x$ for all x . We say that a graph H κ -approximates a graph G if

$$L_H \preceq L_G \preceq \kappa L_H.$$

By the definition of \preceq from above, this relationship is equivalent to $x^T L_H x \leq x^T L_G x \leq \kappa x^T L_H x$ for all vectors x . This implies that the *condition number* of the pair (L_G, L_H) is upper bounded by κ . The condition number is an algebraically motivated notion; upper bounds on it are used to predict the convergence rate of iterative numerical algorithms.

III. PRIOR WORK ON SDD SOLVERS AND RELATED GRAPH THEORETIC PROBLEMS

Symmetric diagonally dominant systems are linear-time reducible to linear systems whose matrix is the Laplacian of a weighted graph via a construction known as double cover that only doubles the number of non-zero entries in the system [19], [20]. The one-to-one correspondence between graphs and their Laplacians allows us to focus on weighted graphs, and interchangeably use the words graph and Laplacian.

In a ground-breaking approach, Vaidya [21] proposed the use of spectral graph-theoretic properties for the design of provably good graph *preconditioners*, i.e. graphs that - in some sense- approximate the input graph, but yet are somehow easier to solve. Many authors built upon the ideas of Vaidya, to develop *combinatorial preconditioning*, an area on the border of numerical linear algebra and spectral graph theory [22]. The work in the present paper as well as the Spielman and Teng solver is based on this approach. It is worth noting that combinatorial preconditioning is only one of the rich connections between combinatorics and linear algebra [6], [17].

Vaidya originally proposed the construction of a preconditioner for a given graph, based on a maximum weight

spanning tree of the graph and its subsequent augmentation with graph edges. This yielded the first non-trivial results, an $O((dn)^{1.75})$ time algorithm for maximum degree d graphs, and an $O((dn)^{1.2})$ algorithm for maximum degree d planar graphs [23].

Later, Boman and Hendrickson [18] made the crucial observation that the notion of *stretch* (see Section VI for a definition) is crucial for the construction of a good spanning tree preconditioner; they showed that if the non-tree edges have average stretch s over a spanning tree, the spanning tree is an $O(sm)$ -approximation of the graph. Armed with this observation and the low-stretch tree of Alon et al. [24], Spielman and Teng [25] presented a solver running in time $O(m^{1.31})$.

The utility of low-stretch trees in SDD solvers motivated further research on the topic. Elkin et al. [2] gave an $O(m \log^2 n)$ time algorithm for the computation of spanning trees with total stretch $\tilde{O}(m \log^2 n)$. More recently, Abraham et. al. presented a nearly tight construction of low-stretch trees [26], giving an $O(m \log n + n \log^2 n)$ time algorithm that on input a graph G produces a spanning tree of total stretch $\tilde{O}(m \log n)$. The algorithm of [2] is a basic component of the ST-solver. While the algorithm of [26] didn't improve the ST-solver, it is indispensable to our upper bound.

The major new notion introduced by Spielman and Teng [1] in their nearly-linear time algorithm was that of a *spectral sparsifier*, i.e. a graph with a nearly-linear number of edges that α -approximates a given graph for a constant α . Before the introduction of spectral sparsifiers, Benczúr and Karger [27] had presented an $O(m \log^3 n)$ algorithm for the construction of a *cut-preserving* sparsifier with $O(n \log n)$ edges. A good spectral sparsifier is also a good cut-preserving sparsifier, but the opposite is not necessarily true.

The ST-solver [1] consists of a number of major algorithmic components. The base routine is a local partitioning algorithm which is the main subroutine of a global nearly-linear time partitioning algorithm. The partitioning algorithm is used as a subroutine in the construction of the spectral sparsifier. Finally, the spectral sparsifier is combined with the $O(m \log^2 n)$ total stretch spanning trees of [2] to produce a $(k, O(k \log^c n))$ *ultrasparsifier*, i.e. a graph \hat{G} with $n - 1 + (n/k)$ edges which $O(k \log^c n)$ -approximates the given graph, for some $c > 25$. The bottleneck in the complexity of the ST-solver lies in the running time of the ultra-sparsification algorithm and the approximation quality of the ultrasparsifier.

In the special case of planar graphs the ST-solver runs in time $\tilde{O}(n \log^2 n)$. An asymptotically optimal linear work algorithm for planar graphs was given in [28]. The key observation in [28] was that despite the fact that planar graphs don't necessarily have spanning trees of average stretch less than $O(\log n)$, they still have $(k, ck \log k)$ ultrasparsifiers for a large enough constant c ; they can be obtained by finding

ultrasparsifiers for constant size subgraphs that contain most of the edges of the graph, and conceding the rest of the edges in the global ultrasparsifier. In addition, a more practical approach to the construction of constant-approximation preconditioners for the case of graphs of bounded average degree was given in [29]. To this day, the only known improvement for the general case was obtained by Andersen et.al [30] who presented a faster and more effective local partitioning routine that can replace the partition routine of the spectral sparsifier, improving the complexity of the solver as well.

Significant progress has been made on the spectral graph sparsification problem. Spielman and Srivastava [7] showed how to construct a much stronger spectral sparsifier with $O(n \log n)$ edges, by sampling edges with probabilities proportional to their effective resistance, if the graph is viewed as an electrical network. While the algorithm is conceptually simple and attractive, its fastest known implementation still relies on the ST-solver. Leaving the envelope of nearly-linear time algorithms Batson, Spielman and Srivastava [31] presented a polynomial time algorithm for the construction of a “twice-Ramanujan” spectral sparsifier with a nearly optimal linear number of edges. Finally, Kolla et al. [32] gave a polynomial time algorithm for the construction of a nearly-optimal $(k, \tilde{O}(k \log n))$ ultrasparsifier.

IV. OUR CONTRIBUTION

In an effort to design a faster sparsification algorithm, we ask: when and why the much simpler faster cut-preserving sparsifier of [27] fails to work as a spectral sparsifier? Perhaps the essential example is that of the cycle and the line graph; while the two graphs have roughly the same cuts, their condition number is $O(n)$. The missing edge has a stretch of $O(n)$ through the rest of the graph, and thus it has high effective resistance; the effective resistance-based algorithm of Spielman and Srivastava would have kept this edge. It is then natural to try to design a sparsification algorithm that avoids precisely to generate a graph whose “missing” edges have a high stretch over the rest of the original graph.

This line of reasoning leads us to a conceptually simple sparsification algorithm: Find a low-stretch spanning tree with a total stretch of $O(m \log n)$. Scale it up by a factor of k so the total stretch is $O(m \log n/k)$ and add the scaled up version to the sparsifier. Then over-sample the rest of the edges with probability proportional to their stretch over the scaled up tree, taking $\tilde{O}(m \log^2 n/k)$ samples. In Sections V and VI we analyze a slight variation of this idea and we show that while it doesn’t produce an ultrasparsifier, it produces what we call an *incremental sparsifier* which is a graph with $n - 1 + m/k$ edges that $\tilde{O}(k \log^2 n)$ -approximates the given graph². Our proof relies on the machinery developed by

²In the latest version of their paper [3], Spielman and Teng also construct and use an incremental sparsifier, but they still use the term ultrasparsifier for it.

Spielman and Srivastava [7].

As we explain in Section VII the incremental sparsifier is all we need to design a solver that runs in the claimed time. Precisely, we prove the following.

Theorem 4.1: On input an $n \times n$ symmetric diagonally dominant matrix A with m non-zero entries and a vector b , a vector x satisfying $\|x - A^+b\|_A < \epsilon \|A^+b\|_A$, can be computed in expected time $\tilde{O}(m \log^2 n \log(1/\epsilon))$.

A. Implications for the graph sparsification problem

The only known nearly-linear time algorithm that produces a spectral sparsifier with $O(n \log n)$ edges is due to Spielman and Srivastava [7] and it is based on $O(\log n)$ calls to a SDD linear system solver. Our solver brings the running time of the Spielman and Srivastava algorithm to $\tilde{O}(m \log^3 n)$. It is interesting that this algebraic approach matches up to $\log \log n$ factors the running time bound of the purely combinatorial algorithm of Benczúr and Karger [27] for the computation of the (much weaker) cut-preserving sparsifier. We note however that an $\tilde{O}(m+n \log^4 n)$ time cut-preserving sparsification algorithm was recently announced informally [33].

Sparsifying once with the Spielman and Srivastava algorithm and then applying our incremental sparsifier gives a $(k, O(k \log^3 n))$ ultrasparsifier that runs in $\tilde{O}(m \log^3 n)$ randomized time. Within the envelope of nearly-linear time algorithms, this becomes the best known ultrasparsification algorithm in terms of both its quality and its running time. Our guarantee on the quality of the ultrasparsifier is off by a factor of $O(\log^2 n)$ comparing to the ultrasparsifier presented in [32]. In the special case where the input graph has $O(n)$ edges, our incremental sparsifier is a $(k, O(k \log^2 n))$ ultrasparsifier.

V. SPARSIFICATION BY OVERSAMPLING

In this section we revisit a sampling scheme proposed by Spielman and Srivastava for sparsifying a graph [7]. Consider the following general sampling scheme:

SAMPLE

Input: Graph $G = (V, E, w)$, $p' : E \rightarrow \mathbb{R}^+$, real ξ .
Output: Graph $G' = (V, E', w')$.

- 1: $t := \sum_e p'_e$
 - 2: $q := C_S t \log t \log(1/\xi)$ (* C_S is a known constant *)
 - 3: $p_e := p'_e/t$
 - 4: $G' := (V, E', w')$ with $E' = \emptyset$
 - 5: **for** q times **do**
 - 6: Sample one $e \in E$ with probability of picking e being p_e .
 - 7: Add e to E' with weight $w'_e = w_e/p_e$
 - 8: **end for**
 - 9: For all $e \in E'$, let $w'_e := w_e/q$
 - 10: **return** G'
-

Spielman and Srivastava pick $p'_e = w_e R_e$ where R_e is the effective resistance of e in G , if G is viewed as an electrical network with resistances $1/w_e$. This choice returns a spectral sparsifier. A key to bounding the number of required samples is the identity $\sum_e p'_e = n - 1$. Calculating good approximations to the effective resistances seems to be at least as hard as solving a system, but as we will see in Section VI, it is easier to compute numbers $p'_e \geq (w_e R_e)$, while still controlling the size of $t = \sum_e p'_e$. The following Theorem considers a sampling scheme based on p'_e 's with this property.

Theorem 5.1: (Oversampling) Let $G = (V, E, w)$ be a graph. Assuming that $p'_e \geq w_e R_e$ for each edge $e \in E$, and $\xi \in \Omega(1/n)$, the graph $G' = \text{SAMPLE}(G, p', \xi)$ satisfies

$$G \preceq 2G' \preceq 3G$$

with probability at least $1 - \xi$.

The proof follows closely that Spielman and Srivastava [7], with only a minor difference in one calculation. Let us first review some necessary lemmas.

If we assign arbitrary orientations on the edges, then we can define the incidence matrix $\Gamma \in \mathbb{R}^{m \times n}$ as follows:

$$\Gamma_{e,u} = \begin{cases} -1 & \text{if } u \text{ is the head of } e \\ 1 & \text{if } u \text{ is the tail of } e \\ 0 & \text{otherwise} \end{cases}$$

If we let W be the diagonal matrix containing edge weights, then $W^{1/2}$ is a real positive diagonal matrix as well since all edge weights are positive. The Laplacian L can be written in terms of W and Γ as

$$L = \Gamma^T W \Gamma = \Gamma^T W^{1/2} W^{1/2} \Gamma.$$

Algorithm SAMPLE forms a new graph by multiplying each edge e by a nonnegative number s_e . If S is the diagonal matrix with $S(e, e) = s_e$, the Laplacian of the new graph can be seen to be equal to

$$\tilde{L} = \Gamma^T W \Gamma = \Gamma^T W^{1/2} S W^{1/2} \Gamma.$$

Let L^+ denote the Moore-Penrose of L , i.e. the unique matrix sharing with L its null space, and acting as the inverse of L in its range. The key to the proofs of [7] is the $m \times m$ matrix

$$\Pi = W^{1/2} \Gamma L^+ \Gamma^T W^{1/2},$$

for which the following lemmas are proved.

Lemma 5.2: (Lemma 3i in [7]) Π is a projection matrix, i.e. $\Pi^2 = \Pi$.

Lemma 5.3: (Lemma 4 in [7])

$$(1 - \|\text{III} - \Pi S \Pi\|_2) L \preceq \tilde{L} \preceq (1 + \|\text{III} - \Pi S \Pi\|_2) L.$$

We also use Lemma 5.4 below, which is Theorem 3.1 from Rudelson and Vershynin [34]. The first part of the Lemma was also used as Lemma 5 in [7] in a similar way.

Lemma 5.4: Let p be a probability distribution over $\Omega \subseteq \mathbb{R}^d$ such that $\sup_{y \in \Omega} \|y\|_2 \leq M$ and $\|\mathbb{E}_p(y y^T)\|_2 \leq 1$. Let $y_1 \dots y_q$ be independent samples drawn from p , and let $a = CM \sqrt{\log q/q}$. Then:

1)

$$\mathbb{E} \left\| \frac{1}{q} \sum_{i=1}^q y_i y_i^T - \mathbb{E}(y y^T) \right\|_2 \leq a.$$

2)

$$\Pr \left[\left\| \frac{1}{q} \sum_{i=1}^q y_i y_i^T - \mathbb{E}(y y^T) \right\|_2 > x \right] \leq 2e^{-cx^2/a^2}.$$

Here C and c are fixed constants.

Proof: (of Theorem 5.1) Following the pseudocode of SAMPLE, let $t = \sum_e p'_e$ and $q = C_s t \log t \log(1/\xi)$. It can be seen that

$$\Pi S \Pi = \frac{1}{q} \sum_{i=1}^q y_i y_i^T,$$

where the y_i are drawn from the distribution

$$y = \frac{1}{\sqrt{p_e}} \Pi(\cdot, e) \quad \text{with probability } p_e.$$

For the distribution y we have $E(y y^T) = \text{III} = \Pi$. Since Π is a projection matrix, we have $\|\Pi\|_2 \leq 1$. So, the condition imposed by Lemma 5.4 on the distribution holds for y . The fact that Π is a projection matrix also gives

$$\Pi(\cdot, e)^T \Pi(\cdot, e) = (\text{III})(e, e) = \Pi(e, e),$$

which we use to bound M as follows.

$$\begin{aligned} M &= \sup_e \frac{1}{\sqrt{p_e}} \|\Pi(\cdot, e)\|_2 = \sup_e \frac{1}{\sqrt{p_e}} \sqrt{\Pi(e, e)} \\ &= \sup_e \sqrt{\frac{t}{p'_e}} \sqrt{w_e R_e} \leq \sqrt{t}. \end{aligned} \quad (5.1)$$

The last inequality follows from the assumption about the p'_e . Recall now that we have $\log(1/\xi) \leq \log n$ by assumption, $t \geq \sum_e w_e R_e$ by construction, and $\sum_e w_e R_e = n - 1$ by Lemma 3 in [7]. Combining these facts and setting $q = c_S t \log t \log(1/\xi)$ for a proper constant c_S , part 1 of Lemma 5.4 gives

$$a \leq \sqrt{\frac{4}{c \log(2/\xi)}}.$$

Now substituting $x = \frac{1}{2}$ into part 2 of Lemma 5.4, we get

$$\begin{aligned} \Pr \left[\left\| \frac{1}{q} \sum_{i=1}^q y_i y_i^T - E(y y^T) \right\|_2 > 1/2 \right] &\leq \\ 2e^{-(c/4)/a^2} &\leq 2e^{-(c/4)/(4/c \log 2/\xi)} \leq \xi. \end{aligned}$$

It follows that with probability at least $1 - \xi$ we have

$$\left\| \frac{1}{q} \sum_{i=1}^q y_i y_i^T - E(y y^T) \right\|_2 \leq 1/2,$$

which implies $\|\text{IIISII} - \text{IIII}\|_2 \leq 1/2$. The theorem then follows by Lemma 5.3. ■

Note. The upper bound for M in inequality 5.1 is in fact the only place where our proof differs from that of [7]. In their case the last inequality is replaced by an exact inequality, which is possible because the exact values for $w_e R_e$ are used. In our case, by using inexact values we get a weaker upper bound which reflects in the density (depending on m , not n) of the incremental sparsifier. It is however enough for the solver.

VI. INCREMENTAL SPARSIFIER

Consider a spanning tree T of $G = (V, E, w)$. Let $w'(e) = 1/w(e)$. If the unique path connecting the endpoints of e consists of edges $e_1 \dots e_k$, the stretch of e by T is defined to be

$$\text{stretch}_T(e) = \frac{\sum_{i=1}^k w'(e_i)}{w'(e)}.$$

Let R_e denote the effective resistance of e in G and RT_e denote the effective resistance of e in T . We have $RT_e = \sum_{i=1}^k 1/w(e_i)$. Thus $\text{stretch}_T(e) = w_e RT_e$. By Rayleigh's monotonicity law [35], we have $RT_e \geq R_e$, so $\text{stretch}_T(e) \geq w_e R_e$. As the numbers $\text{stretch}_T(e)$ satisfy the condition of Theorem 5.1, we can use them for oversampling. But at the same time we want to control the total stretch, as it will directly affect the total number of samples required in SAMPLE. This leads to taking T to be a *low-stretch tree*, with the guarantees provided by the following result of Abraham, Bartal, and Neiman [26].

Theorem 6.1: (Corollary 6 in [26]) Given a graph $G = (V, E, w')$, $\text{LOWSTRETCHTREE}(G)$ in time $O(m \log n + n \log^2 n)$, outputs a spanning tree T of G satisfying $\sum_{e \in E} \text{stretch}_T(e) = O(m \log n \cdot \log \log n^3)$.

Our key idea is to scale up the low-stretch tree by a factor of κ , incurring a condition number of κ but allowing us to sample the non-tree edges aggressively using the upper bounds on their effective resistances given by the tree. The details are given in algorithm INCREMENTALSPARSIFY.

INCREMENTALSPARSIFY

Input: Graph G , reals κ , $0 < \xi < 1$

Output: Graph H

- 1: $T := \text{LOWSTRETCHTREE}(G)$
 - 2: Let T' be T scaled by a factor of κ
 - 3: Let G' be the graph obtained from G by replacing T by T'
 - 4: **for** $e \in E$ **do**
 - 5: Calculate $\text{stretch}_{T'}(e)$
 - 6: **end for**
 - 7: $H := \text{SAMPLE}(G', \text{stretch}_{T'}, 1/2\xi)$
 - 8: **return** $2H$
-

Theorem 6.2: Given a graph G with n vertices, m edges and any values $\kappa < m$, $\xi \in \Omega(1/n)$, INCREMENTALSPARSIFY computes a graph H such that:

- $G \preceq H \preceq 3\kappa G$
- H has $n - 1 + \tilde{O}((m/\kappa) \log^2 n \log(1/\xi))$ edges,

with probability at least $1 - \xi$. The algorithm runs in $\tilde{O}(m \log n + (n \log^2 n + m \log^3 n / \kappa) \log(1/\xi))$ time.

Proof: We first bound the condition number. Since the weight of an edge is increased by at most a factor of κ , we have $G \preceq G' \preceq \kappa G$. Furthermore, the effective resistance along the tree of each non-tree edge decreases by a factor of κ . Thus INCREMENTALSPARSIFY sets $p'_e = 1$ if $e \in T$ and $\text{stretch}_T(e)/\kappa$ otherwise, and invokes SAMPLE to compute a graph H such that with probability at least $1 - \xi$, we get

$$G \preceq G' \preceq H \preceq 3G' \preceq 3\kappa G.$$

We next bound the number of non-tree edges. Let $t' = \sum_{e \notin T} \text{stretch}_{T'}(e)$, so $t' = \tilde{O}((m/\kappa) \log n)$. Then for the number t used in SAMPLE we have $t = t' + n - 1$ and $q = C_s t \log t \log(1/\xi)$ is the number of edges sampled in the call of SAMPLE. Let X_i be a random variable which is 1 if the i^{th} edge picked by SAMPLE is a non-tree edge and 0 otherwise. The total number of non-tree edges sampled is the random variable $X = \sum_{i=1}^q X_i$, and its expected value can be calculated using the fact $\Pr(X_i = 1) = t'/t$:

$$\begin{aligned} E[X] &= q \frac{t'}{t} = t' \frac{C_s t \log t \log(1/\xi)}{\kappa t} \\ &= \tilde{O}((m/\kappa) \log^2 n \log(1/\xi)). \end{aligned}$$

A standard form of Chernoff's inequality is:

$$\Pr[X > (1 + \delta)E[X]] < \left(\frac{e^\delta}{(1 + \delta)^{(1 + \delta)}} \right)^{E[X]}.$$

Letting $\delta = 2$, and using the assumption $k < m$, we get $\Pr[X > 3E[X]] < (e^2/27)^{E[X]} < 1/n^c$, for any constant c . Hence, the probability that INCREMENTALSPARSIFY succeeds, with respect to both the number of non-tree edges and the condition number, is at least $1 - \xi$.

We now consider the time complexity. We first generate a low-stretch spanning tree in $O(m \log n + n \log^2 n)$ time. We then compute the effective resistance of each non-tree edge by the tree. This can be done using Tarjan's off-line LCA algorithm [36], which takes $O(m)$ time [37]. We next call SAMPLE with parameters that make it draw $\tilde{O}((n + m/\kappa \log n) \log n \log(1/\xi))$ samples (precisely, $O(t \log t \log(1/\xi))$ samples where $t = \tilde{O}(n + m/\kappa \log n)$). To compute each sample efficiently, we assign each edge an interval on the unit interval $[0, 1]$ with length corresponding to its probability, so that no two intervals overlap. At each sampling iteration we pick a random value in $[0, 1]$ and do a binary search in order to find the interval that contains it in $O(\log n)$ time. Thus the cost of a call to SAMPLE is $\tilde{O}((n \log^2 n + m/\kappa \log^3 n) \log(1/\xi))$. ■

VII. SOLVING USING INCREMENTAL SPARSIFIERS

The solver of Spielman and Teng [3] consists of two phases. The *preconditioning phase* builds a chain of progressively smaller graphs $\mathcal{C} = \{A_1, B_1, A_2, \dots, A_d\}$ starting with $A_1 = A$. The process for building \mathcal{C} alternates between calls to a sparsification routine `ULTRASPARSIFY` which constructs B_i from A_i and a routine `GREEDYELIMINATION` (following below) which constructs A_{i+1} from B_i . The preconditioning phase is independent from the b -side of the system $L_A x = b$.

GREEDYELIMINATION

Input: Weighted graph $G = (V, E, w)$

Output: Weighted graph $\hat{G} = (\hat{V}, \hat{E}, \hat{w})$

- 1: $\hat{G} := G$
 - 2: **repeat**
 - 3: greedily remove all degree-1 nodes from \hat{G}
 - 4: **if** $\deg_{\hat{G}}(v) = 2$ and $(v, u_1), (v, u_2) \in E_{\hat{G}}$ **then**
 - 5: $w' := w(u_1, v)w(u_2, v) / (w(u_1, v) + w(u_2, v))$
 - 6: replace (u_1, v, u_2) by an edge of weight w' in \hat{G}
 - 7: **end if**
 - 8: **until** there are no nodes of degree 1 or 2 in \hat{G}
 - 9: **return** \hat{G}
-

The *solve phase* passes \mathcal{C} , b and a number of iterations t (depending on a desired error ϵ) to the recursive preconditioning algorithm `R-P-CHEBYSHEV`, described in Section IX. The time complexity of the solve phase depends on ϵ , but more crucially on the quality of \mathcal{C} , which is a function of the sparsifier quality.

Definition 7.1 ($\kappa(n)$ -good chain): Let $\kappa(n)$ be a monotonically non-decreasing function of n . Let $\mathcal{C} = \{A = A_1, B_1, A_2, \dots, A_d\}$ be a chain of graphs, and denote by n_i and m_i the numbers of nodes and edges of A_i respectively. We say that \mathcal{C} is $\kappa(n)$ -good for A , if:

- 1) $A_i \preceq B_i \preceq \kappa(n_i)A_i$.
- 2) $A_{i+1} = \text{GREEDYELIMINATION}(B_i)$.
- 3) $m_i/m_{i+1} \geq c_r \sqrt{\kappa(n_i)}$, for some constant c_r .

Spielman and Teng analyzed a recursive preconditioned Chebyshev iteration and showed that a $\kappa(n)$ -good chain for A can be used to solve a system on L_A . This is captured by the following Lemma, adapted from Theorem 5.5 in [3].

Lemma 7.2: Given a $\kappa(n)$ -good chain for A , a vector x such that $\|x - L_A^+ b\|_A < \epsilon \|L_A^+ b\|_A$ can be computed in $O(m_d^3 m_1 \sqrt{\kappa(n_1)} \log(1/\epsilon))$ expected time.

For our solver, we follow the approach of Spielman and Teng. The main difference is that we replace their routine `ULTRASPARSIFY` with our routine `INCREMENTALSPARSIFY`, which is not only faster but also constructs a better chain which translates into a faster solve phase. We are now ready to state our algorithm for building the chain. In what

follows we write $v := O(g(n_i))$ to mean ' $v := f(n_i)$ for some explicitly known function $f(n) \in O(g(n))$ '.

BUILDCHAIN

Input: Graph A , scalar p with $0 < p < 1$

Output: Chain of graphs $\mathcal{C} = \{A = A_1, B_1, A_2, \dots, A_d\}$

- 1: $A_1 := A$
 - 2: $\mathcal{C} := \emptyset$
 - 3: **while** $m_i > (\log \log n)^{1/3}$ **do**
 - 4: **if** $m_i > \log n$ **then**
 - 5: $\xi := \log n$
 - 6: **else**
 - 7: $\xi := \log \log n$
 - 8: **end if**
 - 9: $\kappa := \tilde{O}(\log^4 n_i \log(1/p))$
 - 10: $B_i := \text{INCREMENTALSPARSIFY}(A_i, \kappa, p/(2\xi))$
 - 11: $A_{i+1} := \text{GREEDYELIMINATION}(B_i)$
 - 12: **if** $m_i/m_{i+1} < c_r \sqrt{3\kappa}$ **then**
 - 13: **return** FAILURE
 - 14: **end if**
 - 15: $\mathcal{C} = \mathcal{C} \cup \{A_i, B_i\}$
 - 16: $i := i + 1$
 - 17: **end while**
 - 18: **return** \mathcal{C}
-

Lemma 7.3: Given a graph A , `BUILDCHAIN(A,P)` produces an $\tilde{O}(\log^4 n)$ -good chain for A , with probability at least $1 - p$. The algorithm runs in time

$$\tilde{O}((m \log n + n \log^2 n) \log(1/p)).$$

Proof: Assume that B_i has $n_i - 1 + m_i/k'$ edges. A key property of `GREEDYELIMINATION` is that if G is a graph with $n - 1 + j$ edges, `GREEDYELIMINATION`(G) has at most $2j - 2$ vertices and $3j - 3$ edges [3]. Hence `GREEDYELIMINATION`(B_i) has at most $3m_i/k'$ edges. It follows that $m_i/m_{i+1} \geq k'/3$. Then, in order to satisfy the second requirement, we must have $A_i \preceq B_i \preceq c'k'^2 A_i$, for some sufficiently small constant c' .

However, we also know that the call to `INCREMENTALSPARSIFY` returns an incremental sparsifier B_i that 3κ -approximates A_i . So it is necessary that $c'k'^2 > 3\kappa$. Moreover, B_i has $n_i - 1 + \tilde{O}(m_i \log^2 n / \kappa)$ edges, a number which we assumed is equal to $n_i - 1 + m_i/k'$. The value assigned to κ by the algorithm is taken to be the minimum that satisfies these two conditions.

The probability that B_i has the above properties is by construction at least $1 - p/(2 \log n)$ if $n_i > \log n$ and $1 - p/(2 \log \log n)$ otherwise. The probability that the requirements hold for all i is then at least

$$(1 - p/(2 \log n))^{\log n} (1 - p/(2 \log \log n))^{\log \log n} > (1 - p/2)^2 > 1 - p.$$

Finally note that each call to INCREMENTALSPARSIFY takes $\tilde{O}((m_i \log^2 n) \log(1/p))$ time. Since m_i decreases faster than geometrically with i , the claim about the running time follows. ■

Combining Lemmas 7.2 and 7.3 proves our main Theorem.

Theorem 7.4: On input an $n \times n$ symmetric diagonally dominant matrix A with m non-zero entries and a vector b , a vector x satisfying $\|x - A^+b\|_A < \epsilon \|A^+b\|_A$, can be computed in expected time $\tilde{O}(m \log^2 n \log(1/\epsilon))$.

VIII. COMMENTS / EXTENSIONS

Unraveling the analysis of our bound for the condition number of the incremental sparsifier, it can be seen that one $\log n$ factor is due to the number of samples required by the Rudelson and Vershynin theorem. The second $\log n$ factor is due to the average stretch of the low-stretch tree.

It is quite possible that the low-stretch construction and perhaps the associated lower bound can be bypassed -at least for some graphs- by a simpler approach similar to that of [28]. Consider for example the case of unweighted graphs. With a simple ball-growing procedure we can concede in our incremental sparsifier a $1/\log n$ fraction of the edges, while keeping within clusters of diameters $O(\log^2 n)$ the rest of the edges. The design of low-stretch trees may be simplified within the small diameter clusters. This diameter-restricted local sparsification is a natural idea to pursue, at least in an actual implementation of the algorithm.

IX. APPENDIX: THE COMPLETE SOLVER

The purpose of this section is to provide a few more algebraic details about the chain of preconditioners, and the recursive preconditioned Chebyshev method which consists the solve phase of the solver. The material is not new and we include it only for completeness. We focus on pseudocode. We refer the reader to [3] or a longer version of this paper [38] for a more detailed exposition along with proofs.

Direct methods - Cholesky factorization. If A is a symmetric and positive definite (SPD) matrix, it can be written in the form $A = LL^T$, a product known as the *Cholesky factorization* of A . This extends to Laplacians, with some care for the null space. The Cholesky factorization can be computed via a symmetric version of *Gaussian elimination*. Given the decomposition, solving the systems $Ly = b$ and $L^T x = y$ yields the solution to the system $Ax = b$; the key here is that solving with L and L^T can be done easily via forward and back substitution. A *partial Cholesky factorization* with respect to the first k variables of A , puts it into the form

$$A = L \begin{pmatrix} I_k & 0 \\ 0 & A_k \end{pmatrix} L^T \quad (9.2)$$

where I_k denotes the $k \times k$ identity matrix, and A_k is known as the Schur complement of A with respect to the

elimination of the k first variables. The matrix A_{k+1} is the Schur complement of A_k with respect to the elimination of its first variable.

Given a matrix A , the graph G_A of A is defined by identifying the vertices of G_A with the rows and columns of A and letting the edges of G_A encode the non-zero structure of A in the obvious way.

It is instructive to take a graph-theoretic look at the partial Cholesky factorization when $k = 1$. In this case, the graph G_{A_1} contains a clique on the neighbors of the first node in G_A . In addition, the first column of L is non-zero on the corresponding coordinates. This problem is known as *fill*. It then becomes obvious that the complexity of computing the Cholesky factorization depends crucially on the ordering of A . Roughly speaking, a good ordering has the property that the degrees of the top nodes of A, A_1, A_2, \dots, A_k are as small as possible. The best known algorithm for positive definite systems of planar structure runs in time $O(n^{1.5})$ and it is based on the computation of good orderings via nested dissection [39], [40], [41].

There are two fairly simple but important facts considering the partial Cholesky factorization of equality 9.2 [3]. First, if the top nodes of A, A_1, \dots, A_{k-1} have degrees 1 or 2, then back-substitution with L requires only $O(n)$ time. Second, if A is a Laplacian, then A_k is a Laplacian. Such an ordering and the corresponding Laplacian A_k can be found in linear time via GREEDYELIMINATION, described in Section VII. The corresponding factor L can also be computed easily.

Iterative methods. Unless the system matrix is very special, direct methods do not yield nearly-linear time algorithms. For example, the nested dissection algorithm is known to be asymptotically optimal for the class of planar SPD systems, within the envelope of direct methods. Iterative methods work around the fill problem by producing a sequence of approximate solutions using only matrix-vector multiplications and simple vector-vector operations. For example *Richardson's iteration* generates an approximate solution x_{i+1} from x_i , by letting

$$x_{i+1} = (I - A)x_i + b.$$

The solver in this paper, as well as the Spielman and Teng solver [3], are based on the very well studied Chebyshev iteration [42]. The *preconditioned Chebyshev iteration* (P-CHEBYSHEV) is the Chebyshev iteration applied to the system $B^+Ax = B^+b$, where A, B are SPD matrices, and B is known as the *preconditioner*. The preconditioner B needs not be explicitly known. The iteration requires matrix-vector products with A and B^+ . A product of the form $B^{+1}z$ is equivalent to solving the system $By = c$. Therefore (P-CHEBYSHEV) requires access to only a function $f_B(c)$ returning $B^{+1}c$. In addition it requires a lower bound λ_{\min} on the minimum eigenvalue of (A, B) and an upper bound λ_{\max} on the maximum generalized eigenvalue of (A, B) .

P-CHEBYSHEV

Input: SPD matrix A , vector b , number of iterations t , preconditioner $f_B(z)$, λ_{\min} , λ_{\max}

Output: approximate solution x for $Ax = b$

```

 $x := 0$ 
 $r := b$ 
 $d := (\lambda_{\max} + \lambda_{\min})/2$ 
 $c := (\lambda_{\max} - \lambda_{\min})/2$ 
for  $i = 1$  to  $t$  do
   $z := f_B(r)$ 
  if  $i = 1$  then
     $x := z$ 
     $\alpha := 2/d$ 
  else
     $\beta := (c\alpha/2)^2$ 
     $\alpha := 1/(d - \beta)$ 
     $x := z + \beta x$ 
  end if
   $x := x + \alpha x$ 
   $r := b - Ax$ 
end for
return  $x$ 

```

A well known fact about the Chebyshev method is that after $O(\sqrt{\lambda_{\max}/\lambda_{\min}} \log 1/\epsilon)$ iterations the return vector x satisfies $\|x - A^+b\|_A \leq \epsilon \|A^+b\|_A$ [42].

Hybrid methods. One of the key ideas in Vaidya's approach was to combine direct and iterative methods into a hybrid method by exploiting properties of Laplacians. [21]. For the rest of this section we will identify graphs and their Laplacians, using their natural 1-1 correspondence.

Let A_1 be a Laplacian. The incremental sparsifier B_1 of A_1 is a natural choice as preconditioner. With proper input parameters, INCREMENTALSPARSIFY returns a B_1 that contains enough degree 1 and 2 nodes, so that GREEDYELIMINATION can make enough progress reducing B_1 to a matrix of the form

$$B_1 = L_1 \begin{pmatrix} I & 0 \\ 0 & A_2 \end{pmatrix} L_1^T,$$

where A_2 is the output of algorithm GREEDYELIMINATION. Let I_j denote the identity of dimension j and

$$\begin{aligned} \Pi_1 &= \begin{pmatrix} 0 & I_{\dim(A_2)} \end{pmatrix} \\ Q_1 &= \begin{pmatrix} I_{\dim(A_1) - \dim(A_2)} & 0 \end{pmatrix}. \end{aligned}$$

Recall that P-CHEBYSHEV requires the solution of $By = c$, which is given by

$$y = L_1^{-T} \begin{pmatrix} Q_1 L_1^{-1} c \\ A_1^+ \Pi_1 L_1^{-1} c \end{pmatrix}.$$

The two matrix-vector products with L_1^{-1} , L_1^{-T} can be computed in time $O(n)$ via forward and back substitu-

tion. Therefore, we can solve a system in B by solving a linear system in A_2 and performing $O(n)$ additional work. Naturally, in order to solve systems on A_2 we can recursively apply preconditioned Chebyshev iterations on it, with a new preconditioner B_2 . This defines a preconditioning chain \mathcal{C} that consists of progressively smaller graphs $A = A_1, B_1, A_2, B_2, \dots, A_d$, along with the corresponding matrices L_i, Π_i, Q_i for $1 \leq i \leq d-1$. So, to be more precise than in Section VII, routine BUILDCHAIN has the following specifications.

BUILDCHAIN

Input: Graph A , scalar p with $0 < p < 1$

Output: Chain $\mathcal{C} = \{A_i, B_i, L_i, \Pi_i, Q_i\}_{i=1}^{d-1}, A_d\}$

We are now ready to give pseudocode for the recursive preconditioned Chebyshev iteration.

R-P-CHEBYSHEV

Input: Chain \mathcal{C} , level i , vector b , number of iterations t

Output: Approximate solution x for $A_i x = b$

```

1: if  $i = d$  for some fixed  $d$  then
2:   return  $A_i^+ b$ 
3: else
4:    $\kappa := \kappa(A_i, B_i)$ 
5:   Define function  $f_i(z)$ :
6:      $t' := \lceil 1.33\sqrt{\kappa} \rceil$ 
7:      $z' := L_i^{-1} z$ 
8:      $z''_1 := Q_i z'$ 
9:      $z''_2 := \text{R-P-CHEBYSHEV}(\mathcal{C}, i+1, \Pi_i z', t')$ 
10:     $f_i(z) \leftarrow L_i^{-T} [z''_1 \ z''_2]^T$ 
11:   $l := 1 - 2e^{-2}$ 
12:   $u := (1 + 2e^{-2})\kappa$ 
13:   $x := \text{P-CHEBYSHEV}(A_i, b, t, f_i(z), l, u)$ 
14:  return  $x$ 
15: end if

```

The complete solver. Finally, the pseudocode for the complete solver is as follows.

SOLVE

Input: Laplacian L_A , vector b , error ϵ , failure probability p

Output: Approximate solution x

```

 $\mathcal{C} := \text{BUILDCHAIN}(A, p)$ 
 $x := \text{R-P-CHEBYSHEV}(\mathcal{C}, 1, b, \tilde{O}(\log^2 n \log(1/\epsilon)))$ 

```

ACKNOWLEDGEMENTS

The authors wish to thank Dan Spielman and Charalampos Tsourakakis for their very helpful comments and discussions.

REFERENCES

- [1] D. A. Spielman and S.-H. Teng, “Nearly-linear time algorithms for graph partitioning, graph sparsification, and solving linear systems.” in *Proceedings of the 36th Annual ACM Symposium on Theory of Computing*, June 2004, pp. 81–90.
- [2] M. Elkin, Y. Emek, D. A. Spielman, and S.-H. Teng, “Lower-stretch spanning trees.” in *Proceedings of the 37th Annual ACM Symposium on Theory of Computing*, 2005, pp. 494–503.
- [3] D. A. Spielman and S.-H. Teng, “Nearly-linear time algorithms for preconditioning and solving symmetric, diagonally dominant linear systems,” *CoRR*, vol. abs/cs/0607105, 2006.
- [4] M. Fiedler, “Algebraic connectivity of graphs,” *Czechoslovak Math. J.*, vol. 23, no. 98, pp. 298–305, 1973.
- [5] D. A. Spielman and S.-H. Teng, “Spectral partitioning works: Planar graphs and finite element meshes.” in *FOCS*, 1996, pp. 96–105.
- [6] F. Chung, *Spectral Graph Theory*, ser. Regional Conference Series in Mathematics. American Mathematical Society, 1997, vol. 92.
- [7] D. A. Spielman and N. Srivastava, “Graph sparsification by effective resistances,” 2008. [Online]. Available: <http://www.citebase.org/abstract?id=oai:arXiv.org:0803.0929>
- [8] E. G. Boman, B. Hendrickson, and S. A. Vavasis, “Solving elliptic finite element systems in near-linear time with support preconditioners,” *CoRR*, vol. cs.NA/0407022, 2004.
- [9] D. A. Spielman and S. I. Daitch, “Faster approximate lossy generalized flow via interior point algorithms.” in *Proceedings of the 40th Annual ACM Symposium on Theory of Computing*, May 2008.
- [10] J. A. Kelner and A. Madry, “Faster generation of random spanning trees,” *Foundations of Computer Science, Annual IEEE Symposium on*, vol. 0, pp. 13–21, 2009.
- [11] I. Koutis, G. L. Miller, and D. Tolliver, “Combinatorial preconditioners and multilevel solvers for problems in computer vision and image processing,” in *International Symposium of Visual Computing*, 2009, pp. 1067–1078.
- [12] I. Koutis, G. L. Miller, A. Sinop, and D. Tolliver, “Combinatorial preconditioners and multilevel solvers for problems in computer vision and image processing,” CMU, Tech. Rep., 2009.
- [13] J. McCann and N. S. Pollard, “Real-time gradient-domain painting,” *ACM Trans. Graph.*, vol. 27, no. 3, pp. 1–7.
- [14] P. Joshi, M. Meyer, T. DeRose, B. Green, and T. Sanocki, “Harmonic coordinates for character articulation,” *ACM Trans. Graph.*, vol. 26, no. 3, p. 71, 2007.
- [15] D. A. Spielman, “Algorithms, Graph Theory, and Linear Equations in Laplacian Matrices,” in *Proceedings of the International Congress of Mathematicians*, 2010.
- [16] S.-H. Teng, “The Laplacian Paradigm: Emerging Algorithms for Massive Graphs,” in *Theory and Applications of Models of Computation*, 2010, pp. 2–14.
- [17] G. Royle and C. Godsil, *Algebraic Graph Theory*, ser. Graduate Texts in Mathematics. Springer Verlag, 1997.
- [18] E. G. Boman and B. Hendrickson, “Support theory for preconditioning,” *SIAM J. Matrix Anal. Appl.*, vol. 25, no. 3, pp. 694–717, 2003.
- [19] K. Gremban, G. L. Miller, and M. Zagha, “Performance evaluation of a parallel preconditioner,” in *9th International Parallel Processing Symposium*. Santa Barbara: IEEE, April 1995, pp. 65–69.
- [20] K. Gremban, “Combinatorial preconditioners for sparse, symmetric, diagonally dominant linear systems,” Ph.D. dissertation, Carnegie Mellon University, Pittsburgh, October 1996, CMU CS Tech Report CMU-CS-96-123.
- [21] P. Vaidya, “Solving linear equations with symmetric diagonally dominant matrices by constructing good preconditioners,” October 1991, a talk based on this manuscript.
- [22] M. Bern, J. R. Gilbert, B. Hendrickson, N. Nguyen, and S. Toledo, “Support-graph preconditioners,” *SIAM J. Matrix Anal. Appl.*, vol. 27, pp. 930–951, 2005.
- [23] A. Joshi, “Topics in optimization and sparse linear systems,” Ph.D. dissertation, University of Illinois at Urbana Champaign, 1997.
- [24] N. Alon, R. Karp, D. Peleg, and D. West, “A graph-theoretic game and its application to the k -server problem,” *SIAM J. Comput.*, vol. 24, no. 1, pp. 78–100, 1995.
- [25] D. A. Spielman and S.-H. Teng, “Solving Sparse, Symmetric, Diagonally-Dominant Linear Systems in Time $O(m^{1.31})$,” in *FOCS '03: Proceedings of the 44th Annual IEEE Symposium on Foundations of Computer Science*. IEEE Computer Society, 2003, p. 416.
- [26] I. Abraham, Y. Bartal, and O. Neiman, “Nearly tight low stretch spanning trees,” in *49th Annual IEEE Symposium on Foundations of Computer Science*, 2008, pp. 781–790.
- [27] A. A. Benczúr and D. R. Karger, “Approximating s - t Minimum Cuts in $\tilde{O}(n^2)$ time,” in *STOC*, 1996, pp. 47–55.
- [28] I. Koutis and G. L. Miller, “A linear work, $O(n^{1/6})$ time, parallel algorithm for solving planar Laplacians,” in *Proc. 18th ACM-SIAM Symposium on Discrete Algorithms (SODA 2007)*, 2007.
- [29] —, “Graph partitioning into isolated, high conductance clusters: Theory, computation and applications to preconditioning,” in *Symposium on Parallel Algorithms and Architectures (SPAA)*, 2008.
- [30] R. Andersen, F. Chung, and K. Lang, “Local graph partitioning using pagerank vectors,” in *FOCS '06: Proceedings of the 47th Annual IEEE Symposium on Foundations of Computer Science*. Washington, DC, USA: IEEE Computer Society, 2006, pp. 475–486.

- [31] J. D. Batson, D. A. Spielman, and N. Srivastava, "Twice-Ramanujan sparsifiers," in *Proceedings of the 41st Annual ACM Symposium on Theory of Computing*, 2009, pp. 255–262.
- [32] A. Kolla, Y. Makarychev, A. Saberi, and S. Teng, "Subgraph sparsification and nearly optimal ultrasparsifiers," *CoRR*, vol. abs/0912.1623, 2009.
- [33] R. Hariharan and D. Panigrahi, "A general framework for graph sparsification," *CoRR*, vol. abs/1004.4080, 2010.
- [34] M. Rudelson and R. Vershynin, "Sampling from large matrices: An approach through geometric functional analysis," *J. ACM*, vol. 54, no. 4, p. 21, 2007.
- [35] P. G. Doyle and J. L. Snell, "Random walks and electric networks," 2000.
- [36] R. E. Tarjan, "Applications of path compression on balanced trees," *J. ACM*, vol. 26, no. 4, pp. 690–715, 1979.
- [37] H. N. Gabow and R. E. Tarjan, "A linear-time algorithm for a special case of disjoint set union," in *STOC '83: Proceedings of the fifteenth annual ACM symposium on Theory of computing*. New York, NY, USA: ACM, 1983, pp. 246–251.
- [38] I. Koutis, G. L. Miller, and R. Peng, "Approaching optimality for solving SDD systems," *CoRR*, vol. abs/1003.2958, 2010.
- [39] A. George, "Nested dissection of a regular finite element mesh," *SIAM Journal on Numerical Analysis*, vol. 10, pp. 345–363, 1973.
- [40] R. Lipton, D. Rose, and R. Tarjan, "Generalized nested dissection," *SIAM Journal of Numerical Analysis*, vol. 16, pp. 346–358, 1979.
- [41] N. Alon and R. Yuster, "Solving linear systems through nested dissection," in *FOCS, 51th Symposium on Foundations of Computer Science*, 2010.
- [42] O. Axelsson, *Iterative Solution Methods*. New York, NY: Cambridge University Press, 1994.